

## Chain and Roller Combinations

Combine four base chains and seven roller types to select the perfect chain for your needs. (Possible combinations are marked with a circle below.) Snap covers for Double Plus Chain available with any combination.

## Combination of base chain and rollers

	Engineering plastic rollers				Urethane lining ※1		Steel roller
Chain (series, material, application )	VRPA General use type	VRPB High friction type	VRPC Electroconductive type	VRPD Electroconductive high friction type	VRPUA General use type	VRPUB High friction type	VR
Standard Series (steel)	0	0	0	0	0	0	0
HCP Series (Hardened chrome plating ) For applications where rust is to be avoided, such as clean rooms.	0	0	0	0	0	0	-
SS Series (18-8SUS, SUS304 equivalent ) For applications where magnetism and rust are to be avoided ※2	0	0	0	0	0	0	-
Lambda Series (lube-free, base chain same as Standard Series ) For application where it is impossible or undesirable to lubricate	0	0	0	0	0	0	-

<sup>※1</sup> Urethane lining available for RF2030VRP only.

## Roller (by need)

Roller series Photo		Roller type				Atmosphere	
		Large roller Small roller (color) (color)		Need	Lubrication		
VRPA General use type	6	Standard (brown)	Standard (gray)	10dB quieter than general plastic outboard roller chain		Uses engineering plastic rollers and so cannot be used in contact with	
VRPB High friction type		Standard (brown)	High friction (cream)	quick start up, low noise			
VRPC Electroconductive type		Electroconductive (black)	Standard (gray)	Volume resistivity 10 <sup>6</sup> Ω •cm	Can be used without additional lubrication. If using Lambda Chain, base chain		
VRPD Electroconductive high friction type	0	Electroconductive (black)	High friction (cream)	Volume resistivity 10 <sup>6</sup> Ω •cm quick start up, low noise	will not need additional lubrication either.	water, even if the base chain is HCI or SS Series.	
VRPUA General use type	0	Urethane lining (clear)	Standard (gray)	For direct conveyance			
VRPUB High friction type	0	Urethane lining (clear)	High friction (cream)	For direct conveyance, quick start up, low noise			
VR		steel	steel	High load	Required	Will rust in humid environments.	

X2 There is slight magnetism from plastic deformation during part processing and assembly. Contact a Tsubaki representative if absolutely no magnetism is required.



Product contents

Product Info Applications Selection Guide

Sizing

Technical Data
Substitute third-party model no.

Search previous model No.

Download

Catalogs Instruction Manuals Download Drawings Useful contents

Examples of Use by Industry
Tsubaki products maintenance / handling pages

Customer Support

Q&A

Troubleshooting
Information Requests
Contact by product

**TSUBAKI** 

Privacy Policy

Terms of Use

Sitemap

T S U B A K I M O T O
Copyright 2022 T S U B A K I M O T O C H A I N C O . A I I
The T subaki logo is a trademark of the T S U B A K I M
All other trademarks and registered trademarks are property of their re